

## Appendix 5 - Blade Types and Conventions

Last updated: 18 August 2009

### Notes:

- ◆ **Purpose of this list:** The official purpose of this Appendix is to show what blades are allowed at Society level for the different categories of rapier combat. The listings of blades allowed and conventions by Kingdom is merely a convenience. While every attempt is made to ensure the accuracy of that information, the true source of what a Kingdom allows are the rapier rules specific to that Kingdom.
- ◆ **Society Approved Use:** L = light rapier, H = heavy rapier, C = cut and thrust rapier. Multiple letters separated by a “/” indicate a blade allowed in multiple categories. Keep in mind that any blade still must pass other restrictions, such as flexibility tests and being in good condition. Anything used in light rapier must also satisfy the guard opening restrictions.
- ◆ **Blank Cells** - Some blades or conventions may not have been evaluated (or at least recorded here) for an individual kingdom. These are denoted by blank cells in the matrix below. See Kingdom rules.
- ◆ **Blades Not Listed** – Blades or Companies not listed might be under evaluation, please contact your local Kingdom Rapier Marshal for more information about evaluation programs in your kingdom.

Manufacturer	Model	Sales Name	Length In Inches	Society Approved Use	Æthelmearc	An Tir	Ansteorra	Artemisia	Atenveldt	Atlantia	Caid	Calontir	Drachenwald	Ealdormere	East	Gleann Abhann	Lochac	Meridies	MidRealm	Northshield	Outlands	Trimaris	West
Last updated:				Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09	Aug-09
<b>Rapier Blades:</b>																							
Various	Foils			L	Y	N	Y	N	N	Y	Y	N	Y	N	Y	N	N	N	N	N	N	N	N
	Epees			L	Y	N	Y	N	N	Y	Y	N	Y	N*	Y	N	N	N*	N*	N*	Y	N	N
	Double-wide epees/musketeers		35-42	L	Y	N	Y	N	N	Y	Y	N	N*	N	Y	N	N	N*	N*	N*	Y	N	N
Alchem (straight or curved)	Schlager		34-45	H	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Safeflex	Broadsword	32-40	H/C	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
	Safeflex	Colichemarde	36	H	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
	Flat tang		20-42	H	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
	Flat tang	Curved		H/C	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
	Rod tang		27-40	H	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
	Rod tang	Curved		H/C	Y	N	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y
Angus Trim	Rapier	DDPR01 or ATPR01		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Practice Sidesword	DDPR02		C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Armour Class	Swepthilt Rapier	17C1T		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Arms & Armor	6004	Narrow Nail Blade		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	6005	Wide Nail Blade		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Darkwood	#5 – Straight	Bated Rapier	30-45	H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#5 – Straight	Practice Rapier	30-45	H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#5 – Curved	Sabre		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#6 – Straight	Spada		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#6 – Curved	Katana		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#7 – Straight	Sidesword/Backsword		C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	#7 – Curved	Grosse Messer		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Del Tin		Flexible Sidesword		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
		Bated Rapier		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
		Practice Rapier		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
		Flexible Backsword		C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Fibreglass	n/a	n/a	Various	H	N	N	N	N	N	Y*	N	N	N	N	N	Y	N	N	N	N	N	Y*	
Flagellum Dei	Duelist Hand and a Half			H/C	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Hanwei		Heavy Renn Rapier		C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	

		Hollow Ground Rapier		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	OH 1061	Schlager Blade		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	OH 2255	Practical Rapier	37-43	H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 1098	Practical Rapier	37	H/C	Y	Y	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 1099	Practical Rapier	43	H/C	Y	Y	Y	Y*	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 2106	Practical Hand and a Half		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 2261	Practical Cup Hilt Rapier		H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 2276	Practical Mortuary Hilt		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	SH 2279	Practical Sidesword		C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
MK Armory	MKA30-MKA45		30-45	H/C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	MKA30-MKA45 Wide		30-45	H/C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Popinjays	Curved Blade			H/C	Y	N	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	Longsword			H/C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Scotty	Rapier Blade			H	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	Renblades			C	Y	Y	Y	Y	Y	Y	Y	N	Y*	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Starfire	RP-34			H	Y	N	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y		
Weyersberg, Kirschbaum and Cie (WKC Solingen)		Schlager (WKC-SCH)		H	Y	N	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Windlass		Flamberge		H/C	Y		Y		Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y		Y	Y	Y		
Zamorano		Rapier Blade	35-40	H/C	Y	Y	Y	Y	Y	Y	Y*	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Zen Armory (Triplette)	TCA T01, T01L, T01X			H	Y	N	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	TCA Rapier T03, T03X			H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
<b>Non-Permitted Rapier Blades:</b>																									
Hanwei	SH2201	Hutton Sabre																							
Bud K	All Blades																								
<b>Dagger Blades:</b>																									
Various		Flexidagger		L/H	Y	N	Y	Y	N	Y	Y	N	Y	Y	Y	N*	Y	Y	Y	N*	Y	Y	Y		
Alchem		Safeflex 15/6		L/H/C	Y	N*	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y*	Y*	Y	Y	Y	Y		
Angus Trim	AT 1691/DDPD01			L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Darkwood		DiamondFlex		L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
		WideFlex		L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Fibreglass	n/a			L/H/C	N	N	N	N	N	N	Y*	N	N	N	N	N	Y	N	N	N	N	N	Y*		
MK Armory	MK15 - MK18		15-18	L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Scotty		Scotty Dagger		L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Zen Armory (Triplette)	T04, T04X	Flexidagger		L/H	Y	N	Y	Y	N	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	N*	Y	Y	Y		
	T05	Wide flexidagger		L/H/C	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y		
<b>Non-Permitted Dagger Blades:</b>																									
Bud K	All Blades																								
<b>Conventions:</b>																									
Blade Grabbing (Heavy Rapier/C&T only)						Y*	Y*	Y*	Y	Y	Y	Y	N	Y*	Y	N	Y	Y	Y	Y	Y	N	Y	N	
Buckler Size Restriction						Y	Y	N		N	N	Y	N	N	N	N	Y*		N	Y	Y	N	Y	Y	
Combat Archery						N	N	Y		Y	Y	N	N	N	N	N	Y*	N	N	N	N	N	Y	Y	Y
RBG's						Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Separate Authorization for Melee						N	N	N	N	N	N	N	N	N	N	N	N	N	Y		N	N	N	N	Y

\* - See the Notes for further details.

For questions or comments, please email the Society Rapier Marshal – rapier@sca.org.

**Society:**

- ◆ **Curved Blades** – Curved blades are considered another “normal” type blade. Some manufactures sell separate curved blades and some will add a curve to their normal (straight) blades on demand.
- ◆ **Banning individual blades:** Some manufacturers have more variation in their blades than others. Keep in mind that a marshal can disallow any specific blade for safety reasons, including an extreme curve or excessive stiffness (perhaps caused by curving a straight blade or shortening a blade). Disagreements need to follow the normal appeals process for your Kingdom.
- ◆ **Experimental Blades** – There are usually some blades that are being evaluated but not fully accepted by Society yet. Kingdoms may elect to use them on an experimental basis. Full reporting of any usage is required by the KRM to the SRM. Check with your KRM to find out what is currently under consideration.

By Kingdom:	
Æthelmearc	Æthelmearc approves all SCA legal blades with the exception of anything fiberglass. <b>Blade Grabbing</b> - Experimentally approved with announcement at the beginning of each tournament in which it will be used. <b>Buckler Size Restriction</b> - limit 315 sq inches in silhouette area (area of a 20" round). <b>Combat Archery</b> - Not Yet
An Tir	<b>Fibreglass Rapier/Dagger</b> – Will not be allowed in new rules coming out some time after July 2006. <b>Safe Flex Daggers</b> - model 15/6 only <b>Buckler Size Restriction</b> - limit 530 sq inches in silhouette area <b>Blade Grabbing</b> - Experimentally approved with announcement at the beginning of each tournament in which it will be used.
Ansteorra	Ansteorra does not allow fiberglass blades. <b>Blade Grabbing</b> - By agreement beforehand (and warning the marshal) only!
Artemesia	<b>Alchem Blades</b> - Experimental Status, MIC & opponent must agree to use <b>Hanwei practical rapier</b> – For heavy rapier only, not allowed for cut and thrust.
Atenveldt	Atenveldt will allow any steel heavy or cut and thrust rapier and dagger blade (excepting rectangular cross-section 'flexi' daggers of the type marketed by Prieur, Black Tulip, etc.)
Atlantia	All blades legal on the society level are legal in Atlantia with the exception of anything Fibreglass.
Caid	<b>Zamorano Blades</b> - Must be less than 40" <b>Fibreglass Blades</b> - Case-by-case basis per MIC <b>Fibreglass Daggers</b> - Case-by-case basis per MIC
Calontir	Rapier is not yet allowed.
Drachenwald	Any metal heavy rapier or dagger sanctioned at society level will be sanctioned for Drachenwald. <b>Double wide epees and equivalents are excluded</b> <b>Combat Archery</b> - Coming soon <b>Blade Grabbing</b> - By agreement beforehand (and warning the marshal) only! <b>Buckler Size Restriction</b> - 20 inch (51cm) diameter, unless scenario rules state otherwise <b>Cut and Thrust Blades</b> – subject to approval of new rules allowing C&T combat
Ealdormere	Any society approved steel heavy rapier or dagger is approved for Ealdormere <b>Epees</b> - Only at practice and out of kingdom
East	Any society approved blade is legal in the East--except Fibreglass
Gleann Abhann	<b>Flexidaggers</b> will no longer be allowed as of 2010.
Lochac	Automatically accepts every heavy rapier and C&T blade approved at the Society level Blade grasping and tip cuts are an optional convention to be used with the consent of both combatants and the marshal <b>Combat Archery</b> – Experimental program <b>Buckler Size Restrictions</b> – No restriction on bucklers. For batons - 680g maximum weight and up to a reasonable length as determined by the RMiC Separate authorization for melee.
Meridies	<b>Epees</b> - Only at out of kingdom events <b>SafeFlex Daggers</b> - Only Mark 2
MidRealm	<b>Epees</b> - Only at practice and out of kingdom
Northshield	<b>Epees</b> - Only at practice and out of kingdom <b>Buckler Size Restriction</b> – 30" overall diameter
Outlands	
Trimaris	Light rapier has been removed from the rules.
West	Heavy Rapiers and C&T only - All types as approved by the SRM. All Dagger types as approved by the SRM Fibreglass blades are considered non-standard for tournament purposes. Buckler silhouette must fit inside a 20" diameter circle or be considered non-standard.